



10/624225

Cofe

Atty. Docket No. Graceland P303 (308034)

## CERTIFICATE OF MAILING

I hereby certify that this paper, together with all enclosures identified herein, are being deposited with the United States Postal Service as first class mail, addressed to the Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on the date indicated below.

December 30, 2008

Date

*Susan P. Van Holstyn*  
Susan P. Van Holstyn

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee : Sinha et al.  
Patent No. : 7,326,432  
Issue Date : February 5, 2008

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**Certificate**  
JAN 06 2009  
**of Correction**

Dear Sir:

A request is being made for a Certificate of Correction in the above-identified patent which issued with the following error(s) identified by page and line from the application file.

Page 7, para. [0019], line 16:

"calorimeter" should be "colorimeter--.

Page 8, para. [0021], line 8:

"calorimeter" should be "colorimeter--.

Page 9, para. [0023], line 9:

"calorimeter" should be "colorimeter--.

Page 10, para. [0024], line 10:

"calorimeter" should be "colorimeter--.

Appeal Brief, page 28 (old claim 21), line 9:

"68" should be --70--.


JAN 06 2009

Enclosed is the Certificate of Correction Form PTO 1050 identifying errors by column and line from the patent which are chargeable to the Official Printer.

Respectfully submitted,

December 30, 2008

Date

A handwritten signature in black ink, appearing to read "James A. Mitchell", is written over a horizontal line.

James A. Mitchell, Registration No. 25 120  
333 Bridge Street, P.O. Box 352  
Grand Rapids, Michigan 49501  
(616) 336-6000

JAN 06 2009

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,326,432  
APPLICATION NO.: 10/624,225  
ISSUE DATE : February 5, 2008  
INVENTOR(S) : Sinha et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, line 38:  
"calorimeter" should be --colorimeter--

Column 6, line 5:  
"calorimeter" should be --colorimeter--

Column 6, line 62:  
"calorimeter" should be --colorimeter--

Column 7, line 22:  
"calorimeter" should be --colorimeter--

Column 8, claim 19, line 61:  
"68" should be --70--

### MAILING ADDRESS OF SENDER (Please do not use customer number below):

James A. Mitchell  
Varnum, 333 Bridge Street, P.O. Box 352  
Grand Rapids, MI 49501

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.